


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((element*, data, byte*, item*, word*) <near/8> (count*, number) <and> (instructi..."

☒ e-mail

Your search matched 28 of 209 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

» Key









IEEE JNL	IEEE Journal or Magazine
IEEE JNL	IEEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEEE CNF	IEEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract
[Select All](#)
[Deselect All](#)

- ☐ 1. **An Experimental Service for Adaptable Data Reconfiguration**
 Cerf, V.; Harslem, E.; Heafner, J.; Metcalfe, R.; White, J.;
Communications, IEEE Transactions on (legacy pre - 1988)
 Volume 20, Issue 3, Part 2, Jun 1972 Page(s):557 - 564
[AbstractPlus](#) | Full Text: [PDF](#)(888 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Experiments with low-level speculative computation based on multiple branch prediction**
 Holtmann, U.; Ernst, R.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
 Volume 1, Issue 3, Sept. 1993 Page(s):262 - 267
 Digital Object Identifier 10.1109/92.238440
[AbstractPlus](#) | Full Text: [PDF](#)(620 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Processor-based built-in self-test for embedded DRAM**
 Dreibelbis, J.; Barth, J.; Kalter, H.; Kho, R.;
Solid-State Circuits, IEEE Journal of
 Volume 33, Issue 11, Nov. 1998 Page(s):1731 - 1740
 Digital Object Identifier 10.1109/4.726568
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(288 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Using components for rapid distributed software development**
 Repenning, A.; Ioannidou, A.; Payton, M.; Wenming Ye; Roschelle, J.;
Software, IEEE
 Volume 18, Issue 2, March-April 2001 Page(s):38 - 45
 Digital Object Identifier 10.1109/52.914739
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(632 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **A test-sheet-generating algorithm for multiple assessment requirements**
 Gwo-Jen Hwang;
Education, IEEE Transactions on
 Volume 46, Issue 3, Aug. 2003 Page(s):329 - 337
 Digital Object Identifier 10.1109/TE.2003.813516
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(661 KB) IEEE JNL

[Rights and Permissions](#)

-  **6. Using a resource-limited instruction scheduler to evaluate the IHARP processor**
 Steven, F.L.; Steven, G.B.; Wang, L.;
[Computers and Digital Techniques, IEE Proceedings-](#)
 Volume 142, Issue 1, Jan. 1995 Page(s):23 - 31
[AbstractPlus](#) | Full Text: [PDF](#)(656 KB) [IEEE JNL](#)
-  **7. Enabling Autonomous Rover Science Through Dynamic Planning and Scheduling**
 Estlin, T.; Gaines, D.; Chouinard, C.; Fisher, F.; Castano, R.; Judd, M.; Anderson, R.C.; Nesnas, I.;
[Aerospace, 2005 IEEE Conference](#)
 05-12 March 2005 Page(s):1 - 12
[AbstractPlus](#) | Full Text: [PDF](#)(504 KB) [IEEE CNF](#)
[Rights and Permissions](#)
-  **8. Architectural Support for Accelerating Congestion Control Applications in Network Process**
 Byeong Kil Lee; John, L.K.; John, E.;
[Application-Specific Systems, Architecture Processors, 2005. ASAP. 2005. 16th IEEE International](#)
 23-25 July 2005 Page(s):169 - 178
 Digital Object Identifier 10.1109/ASAP.2005.16
[AbstractPlus](#) | Full Text: [PDF](#)(240 KB) [IEEE CNF](#)
[Rights and Permissions](#)
-  **9. Effective instruction prefetching in chip multiprocessors for modern commercial application**
 Spracklen, L.; Yuan Chou; Abraham, S.G.;
[High-Performance Computer Architecture, 2005. HPCA-11. 11th International Symposium on](#)
 12-16 Feb. 2005 Page(s):225 - 236
 Digital Object Identifier 10.1109/HPCA.2005.13
[AbstractPlus](#) | Full Text: [PDF](#)(192 KB) [IEEE CNF](#)
[Rights and Permissions](#)
-  **10. Application of isolated word recognition to a voice controlled repertory dialer system**
 Rabiner, L.; Wilpon, J.; Rosenberg, A.;
[Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '80.](#)
 Volume 5, Apr 1980 Page(s):182 - 185
[AbstractPlus](#) | Full Text: [PDF](#)(160 KB) [IEEE CNF](#)
[Rights and Permissions](#)
-  **11. Application of Maxwell to undergraduate electromagnetics instruction**
 Cendes, Z.; Lee, J.; Shenton, D.; Sun, D.;
[Antennas and Propagation Society International Symposium, 1987.](#)
 Volume 25, Jun 1987 Page(s):326 - 329
[AbstractPlus](#) | Full Text: [PDF](#)(152 KB) [IEEE CNF](#)
[Rights and Permissions](#)
-  **12. VHC: quickly building an optimizer for complex embedded architectures**
 Dupre, M.; Drach, N.; Temam, O.;
[Code Generation and Optimization, 2004. CGO 2004. International Symposium on](#)
 2004 Page(s):53 - 64
 Digital Object Identifier 10.1109/CGO.2004.1281663
[AbstractPlus](#) | Full Text: [PDF](#)(1322 KB) [IEEE CNF](#)
[Rights and Permissions](#)
-  **13. Ispike: a post-link optimizer for the Intel/spl reg/ Itanium/spl reg/ architecture**
 Luk, C.-K.; Muth, R.; Harish Patil; Cohn, R.; Lowney, G.;
[Code Generation and Optimization, 2004. CGO 2004. International Symposium on](#)
 2004 Page(s):15 - 26
 Digital Object Identifier 10.1109/CGO.2004.1281660

[AbstractPlus](#) | Full Text: [PDF](#)(413 KB) IEEE CNF
[Rights and Permissions](#)



14. PAPI deployment, evaluation, and extensions

Moore, S.; Terpstra, D.; London, K.; Mucci, P.; Teller, P.; Salayandia, L.; Bayona, A.; Nieto, M.;
[User Group Conference, 2003. Proceedings](#)

2003 Page(s):349 - 353

Digital Object Identifier 10.1109/DODUGC.2003.1253415

[AbstractPlus](#) | Full Text: [PDF](#)(211 KB) IEEE CNF
[Rights and Permissions](#)



15. Breaking an application specific instruction-set processor: the first step towards embedded

Dielissen, J.T.M.H.; Otero Mathijssen, B.L.; Huisken, J.A.;

[High-Level Design Validation and Test Workshop, 2002. Seventh IEEE International](#)

27-29 Oct. 2002 Page(s):89 - 92

[AbstractPlus](#) | Full Text: [PDF](#)(372 KB) IEEE CNF
[Rights and Permissions](#)



16. Using drive-by-wire technology to design integrated powertrain modules ntegration of the e surrounding variables

Spiegelberg, G.; Schwarzhaupt, A.; Gehring, O.; Sulzmann, A.A.; Rooks, O.;

[American Control Conference, 2002. Proceedings of the 2002](#)

Volume 5, 8-10 May 2002 Page(s):3719 - 3728 vol.5

Digital Object Identifier 10.1109/ACC.2002.1024506

[AbstractPlus](#) | Full Text: [PDF](#)(1703 KB) IEEE CNF
[Rights and Permissions](#)



17. Analytical exploration of power efficient data-reuse transformations on multimedia applicati

Kougia, S.; Chatzigeorgiou, A.; Zervas, N.; Nikolaidis, S.;

[Acoustics, Speech, and Signal Processing, 2001. Proceedings. \(ICASSP '01\). 2001 IEEE Internati](#)

Volume 2, 7-11 May 2001 Page(s):1161 - 1164 vol.2

Digital Object Identifier 10.1109/ICASSP.2001.941129

[AbstractPlus](#) | Full Text: [PDF](#)(456 KB) IEEE CNF
[Rights and Permissions](#)



18. Evaluating register file size in ASIP design

Jain, M.K.; Wehmeyer, L.; Steinke, S.; Marwedel, P.; Balakrishnan, M.;

[Hardware/Software Codesign, 2001. CODES 2001. Proceedings of the Ninth International Sympos](#)

25-27 April 2001 Page(s):109 - 114

Digital Object Identifier 10.1109/HSC.2001.924660

[AbstractPlus](#) | Full Text: [PDF](#)(736 KB) IEEE CNF
[Rights and Permissions](#)



19. Data flow and buffer management in multi-channel data link controller

Varada, S.; Oduol, V.; Shelat, A.;

[Local Computer Networks, 1999. LCN '99. Conference on](#)

18-20 Oct. 1999 Page(s):132 - 141

Digital Object Identifier 10.1109/LCN.1999.802007

[AbstractPlus](#) | Full Text: [PDF](#)(120 KB) IEEE CNF
[Rights and Permissions](#)



20. A 32 bit RISC processor with concurrent error detection

Maamar, A.; Russell, G.;

[Euromicro Conference, 1998. Proceedings. 24th](#)

Volume 1, 25-27 Aug. 1998 Page(s):461 - 467 vol.1

Digital Object Identifier 10.1109/EURMIC.1998.711840

[AbstractPlus](#) | Full Text: [PDF](#)(492 KB) IEEE CNF
[Rights and Permissions](#)

**21. Data services in the Inmarsat communication system**

Rodionov, V.V.;

[Satellite Communications, 1998, ICSC '98, The Third International Conference on](#)

22-24 Sept. 1998 Page(s):67 - 70 vol.1

Digital Object Identifier 10.1109/ICSC.1998.741342

[AbstractPlus](#) | Full Text: [PDF](#)(312 KB) IEEE CNF[Rights and Permissions](#)**22. PSCP: A scalable parallel ASIP architecture for reactive systems**

Pyttel, A.; Sedlmeier, A.; Veith, C.;

[Design, Automation and Test in Europe, 1998, Proceedings](#)

23-26 Feb. 1998 Page(s):370 - 376

Digital Object Identifier 10.1109/DATE.1998.655884

[AbstractPlus](#) | Full Text: [PDF](#)(188 KB) IEEE CNF[Rights and Permissions](#)**23. Carrier specific routing for international switched transit service**

Chiang, R.; Pel, E.T.;

[Communication Technology Proceedings, 1996, ICCT'96, 1996 International Conference on](#)

Volume 2, 5-7 May 1996 Page(s):866 - 869 vol.2

Digital Object Identifier 10.1109/ICCT.1996.545018

[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF[Rights and Permissions](#)**24. Cellular array processor CAP and applications**

Ishi, M.; Sato, H.; Murakami, K.; Ikesaka, M.; Ishihata, H.;

[Systolic Arrays, 1988, Proceedings of the International Conference on](#)

25-27 May 1988 Page(s):535 - 544

Digital Object Identifier 10.1109/ARRAYS.1988.18090

[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) IEEE CNF[Rights and Permissions](#)**25. The MasPar MP-1 architecture**

Blank, T.;

[Compeon Spring '90 'Intellectual Leverage' Digest of Papers, Thirty-Fifth IEEE Computer Society Conference.](#)

26 Feb.-2 March 1990 Page(s):20 - 24

Digital Object Identifier 10.1109/CMPCON.1990.63648

[AbstractPlus](#) | Full Text: [PDF](#)(364 KB) IEEE CNF[Rights and Permissions](#)[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

Indexed by
 Inspec®


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((element*, data, byte*, item*, word*) <near/8> (count*, number) <and> (instructi..."

e-mail

Your search matched 28 of 209 documents.

A maximum of 28 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((((element*, data, byte*, item*, word*) <near/8> (count*, number) <and> (instructi

[Search](#) >☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[view selected items](#)[Select All](#) [Deselect All](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

» Key

- ☐ **26. Two CMOS gate arrays for the EPACT experiment**
 Winkert, G.;
[Nuclear Science Symposium and Medical imaging Conference, 1991... Conference Record of the 1](#)
 2-9 Nov. 1991 Page(s):1193 - 1198 vol.2
 Digital Object Identifier 10.1109/NSSMIC.1991.259112
[AbstractPlus](#) | Full Text: [PDF](#)(432 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **27. Predictability of load/store instruction latencies**
 Abraham, S.G.; Sugumar, R.A.; Windheiser, D.; Rau, B.R.; Gupta, R.;
[Microarchitecture, 1993. Proceedings of the 26th Annual International Symposium on](#)
 1-3 Dec. 1993 Page(s):139 - 152
 Digital Object Identifier 10.1109/MICRO.1993.282748
[AbstractPlus](#) | Full Text: [PDF](#)(1020 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **28. An evaluation of the iHARP multiple instruction issue processor**
 Steven, F.L.; Steven, G.B.; Liang Wang;
[EUROMICRO 94. System Architecture and Integration. Proceedings of the 20th EUROMICRO Con](#)
 5-8 Sept. 1994 Page(s):437 - 444
 Digital Object Identifier 10.1109/EURMIC.1994.390414
[AbstractPlus](#) | Full Text: [PDF](#)(608 KB) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

 Indexed by